

## Manufacturer's Declaration of Conformity

We declare that the following product:-

**2\* Security Escutcheon  
Double SSEDKC & Single SSESKC**

**1\* Security Cylinders  
Double Keyed & Key / Turn Cylinders**

have been successfully tested to:-

**TS007:2014+A1:2015 & Sold Secure Bronze Award**

### Evidence of Fire Test Compliance – 30 and 60 mins

- Fire Tested Assessment to EN1634-1 on Timber Doors for 30 mins and 60mins.
  - Warrington Fire Assessment Report No. 432749 dated 14<sup>th</sup> October 2020
  - Warrington Fire Assessment Report No. 508181 dated 8<sup>th</sup> November 2021
  - Warrington Fire Test Report No WF 341512 dated 24<sup>th</sup> August 2014

### Evidence of Standard Compliance to TS007:2014+A1:2015

- 2-Star Rating Escutcheon & 1-Star Rating Cylinders
- Test Report Exova Warrington Notified Body No. 1104
- Report No. WIL355693 dated 24<sup>th</sup> September 2015
- EN1906 Classification Code 1 6 - - - 3 - -
- BSI Kite Mark No. KM621947 dated 13<sup>th</sup> September 2016

### Evidence of Compliance by Sold Secure

- Bronze Award
- Report No. DOM 0117/1491
- Load Bearing Test (350N x 60s)



Technical Director  
Signed on behalf of Securefast plc  
Date 18/01/2022